

PWSID#: IL0290250

This report was prepared by: City of Mattoon 208 N. 19th Street Mattoon, IL 61938

Continuing Our Commitment

We are once again proud to present to you our annual water quality report. This edition covers all testing completed from January 1 through December 31, 2008. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal drinking water standards. We continually strive to adopt new and better methods for delivering the best quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the challenges of source water protection, water conservation and community education while continuing to serve the needs of all our water users.

Please share with us your thoughts about the information in this report. After all, well-informed customers are our best allies.

For more information about this report, or for questions relating to your drinking water, please call Jim Lang, Water Treatment Plant Superintendent, at (217) 234-2454.

Este informe contiene información importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

Community Participation

You are invited to voice your concerns about your drinking water at any Mattoon City Council Meeting. We meet the 1st and 3rd Tuesday of each month beginning at 6:30 p.m. at City Hall, 208 North 19th Street, Mattoon.

Where Does My Water Come From?

The City of Mattoon's primary source of drinking water is Lake Paradise. In an average year the City will pump 800 million gallons of water out of Lake Paradise into our water system. We also rely on Lake Mattoon as a secondary source for our water.

Mattoon's Water Treatment Plant is located near Lake Paradise and was built in 1999. The plant has a capacity to treat seven million gallons of water each day.

Substances That Could Be in Water

To ensure that tap water is safe to drink, U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can acquire naturally occurring minerals, in some cases, radioactive material; and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include: Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife; Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may also come from gas stations, urban stormwater runoff, and septic systems; Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

Tap vs. Bottled

Thanks in part to aggressive marketing, the bottled water industry has successfully convinced us all that water purchased in bottles is a healthier alternative to tap water. However, according to a four-year study conducted by the Natural Resources Defense Council, bottled water is not necessarily cleaner or safer than most tap water. In fact, about 25 percent of bottled water is actually just bottled tap water (40 percent according to government estimates).

The Food and Drug Administration is responsible for regulating bottled water, but these rules allow for less rigorous testing and purity standards than those required by the U.S. EPA for community tap water. For instance, the high mineral content of some bottled waters makes them unsuitable for babies and young children. Further, the FDA completely exempts bottled water that's packaged and sold within the same state, which accounts for about 70 percent of all bottled water sold in the United States.

People spend 10,000 times more per gallon for bottled water than they typically do for tap water. If you get your recommended eight glasses a day from bottled water, you could spend up to \$1,400 annually. The same amount of tap water would cost about 49 cents. Even if you installed a filter device on your tap, your annual expenditure would be far less than what you'd pay for bottled water.

For a detailed discussion on the NRDC study results, check out their Web site at www.nrdc.org/water/drinking/bw/exesum.asp.

LT2 Rule

The U. S. EPA has created the Long Term 2 Enhanced Surface Water Treatment Rule (LT2) for the sole purpose of reducing illness linked with the contaminant *Cryptosporidium* and other disease-causing microorganisms in drinking water. The rule will bolster existing regulations and provide a higher level of protection of your drinking water supply.

Sampling of our raw water source before treatment has shown the following:

Cryptosporidium: (0 to 1.6 oocysts per liter)

E. coli: (1 to 1400 most probable number per 100 milliliter)

It is important to note that these results are from our raw water source only and not our treated drinking water supply. For more information, contact U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

Testing For Cryptosporidium

Cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Monitoring of source water and/or finished water indicates the presence of these organisms. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Source Water Assessment

Ilinois EPA considers all surface water sources of public water supply to susceptible to potential pollution problems. Hence the reason for mandatory treatment of all public water supplies in Illinois. Mandatory treatment includes coagulation, sedimentation, filtration and disinfection. Primary sources of pollution in Illinois lakes can include agricultural runoff, land disposal (septic systems) and shoreline erosion.

Nitrate in Drinking Water

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider.

Information on the Internet

The U.S. EPA Office of Water (www.epa.gov/watrhome) and the Centers for Disease Control and Prevention (www.cdc.gov) Web sites provide a substantial amount of information on many issues relating to water resources, water conservation and public health.



What's growing in my pet's water bowl?

Dog and cat owners often notice the appearance of black or pink growths in their pet's water bowl. These growths come from various types of mold in the air - not the water. Similar growths can also be found on showerheads and shower curtains. Wash your pet's water bowl frequently and be sure to have plenty of fresh water available at all times.

Is it safe to drink water from a garden hose?

Substances used in vinyl garden hoses to keep them flexible can get into the water as it passes through the hose. These chemicals are not good for you nor are they good for your pets. Allow the water to run for a short

time in order to flush the hose before drinking or filling your pets' drinking containers. There are hoses made with "food-grade" plastic that will not contaminate the water. Check your local hardware store for this type of hose.

What makes water Hard?

If substantial amounts of either calcium or magnesium, both nontoxic minerals, are present in drinking water, the water is said to be hard. Hard water does not dissolve soap readily, so making lather for washing and cleaning is difficult. Conversely, water containing little calcium or magnesium is called soft water.

Should I put a brick in my toilet tank to save water?

Toilet flushing uses a lot of water: about 40% of a household's total water usage. Putting something in the toilet tank that takes up space, like a toilet dam or a water filled jug, is a good idea. But putting a brick in the tank is not a good idea. Bricks tend to crumble and might damage your toilet.

How much water is lost to a dripping faucet?

Dripping faucets waste a precious resource and it costs you money. As an example, if you have a faucet that drips 60 times a minute, this adds up to over 3 gallons each day or 1,225 gallons each year.

How long can I store drinking water?

The disinfectant in drinking water will eventually dissipate even in a closed container. If that container housed bacteria prior to filling up with the tap water the bacteria may continue to grow once the disinfectant has dissipated. Some experts believe that water could be stored up to six months before needing to be replaced. Refrigeration will help slow the bacterial growth.

Sampling Results

During the past year we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water.

REGULATED SUBSTANCES								
SUBSTANCE (UNIT OF MEASURE)	S	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATI	ON TYPICAL SOURCE
Barium (ppm)	n (ppm)		2	2	.032	.032032	No No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Chlorine (ppm)		2008	[4]	[4]	3	0.5-3	No	Water additive used to control microbes
Combined Radium (pC	Ci/L)	2008	5	0	0.5	0.5-0.5	No	Erosion of natural deposits
Fluoride (ppm)		2008	4	4	0.9	0.92-0.92	2 No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Haloacetic Acids [HAA] (ppb)		2008	60	NA	21	0–24.6	No	By-product of drinking water disinfection
Nitrate (ppm)		2008	10	10	8	0.5–7.8	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite (ppm)		2008	1	1	0.15	0.15-0.15	5 No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Simazine (ppb)		2008	4	4	1	0-3.1	No	Herbicide runoff
TTHMs [Total Trihalomethanes] (ppb)		2008	80	NA	39	13–40.4	No	By-product of drinking water chlorination
Turbidity ¹ (NTU)		2008	TT	NA	0.35	0.04-0.35	5 No	Soil runoff
Turbidity (Lowest monthly percent of samples meeting limit)		2008	ТТ	NA	98.34	NA	No	Soil runoff
Tap water samples were collected for lead and copper analyses from sample sites throughout the community								
SUBSTANCE YEA (UNIT OF MEASURE) SAMPI				AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL/ TOTAL SITES VIOLA		TION TYP	ICAL SOURCE
Copper (ppm)	2008	1.3	1.3	0.029	0/30	N	о Со	rrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Lead (ppb)	2008	15	0	0	0/30	N	o Co	rrosion of household plumbing systems; Erosion of natural deposits
OTHER REGULATED SUBSTANCES								
SUBSTANCE (UNIT OF MEASURE)		YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Sodium (ppm)		2008	NA	NA	5.9	5.9–5.9	No	Erosion of naturally occurring deposits; used in water softener regeneration

¹Footnote for City of Mattoon: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants. Total Organic Carbon - The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set.

Sodium is not currently regulated by the U.S. EPA. However, the state has set an MCL for this contaminant for supplies serving a population of 1000 or more.

Maximum contaminant levels (MCLs) have not been established for unregulated substances by either state or federal regulations, nor has mandatory health effects language been established.

The purpose of unregulated contaminant monitoring is to assist USEPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

Definitions

AL (Action Level): The concentration of a contaminant that triggers treatment or other required actions by the water supply.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (**Not detected**): Indicates that the substance was not found by laboratory analysis.

NTU (**Nephelometric Turbidity Units**): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.